

	Hits	Search Text	DBs
1	13	(smartcard or smart adj card or IC adj card) and administrat\$3 and server and (protect\$2 adj resource) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1059	713/155,159,170-174,185;705/64-69.ccls. and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	454	(713/155,159,170-174,185;705/64-69.ccls. and @ad<"19981013") and (smartcard or smart adj card or IC adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	141	((713/155,159,170-174,185;705/64-69.ccls. and @ad<"19981013") and (smartcard or smart adj card or IC adj card)) and authenticat\$3 and authorizat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	104	((713/155,159,170-174,185;705/64-69.ccls. and @ad<"19981013") and (smartcard or smart adj card or IC adj card)) and authenticat\$3 and authorizat\$3) and (administrat\$3 or remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	23	(smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	266	(proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	243	((proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013") not ((smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	18	("5159592"   "5708655"   "5745699"   "5825759"   "5845079"   "5845211"   "5862345"   "5898780"   "5905955"   "5915214"   "5918016"   "6012100"   "6052725"   "6130892"   "6172986"   "6195705"   "6219715"   "6240089") .PN.	USPAT
10	18	("5077790"   "5235642"   "5586260"   "5608909"   "5673322"   "5675629"   "5740361"   "5764887"   "5826021"   "5892905"   "5911120"   "5923756"   "6006018"   "6052785"   "6065120"   "6075860"   "6148405"   "6263437"   "2002/0007317"   "2002/0019985") .PN.	USPAT
11	89	(replicat\$3 near2 (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	718	(local near2 (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	183	(local near2 (server or administrator)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	50	((local near2 (server or administrator)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	21	(local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	1	(705/53,78.ccls. and @ad<"19981013") and (local near2 administrator)	US-PGPUB; USPAT

17	108	705/53,78.ccls. and @ad<"19981013"	US-PGPUB; USPAT
----	-----	---------------------------------------	-----------------

	Hits	Search Text	DBs
18	474	(smart adj card or smartcard or ic adj card) and ((institution or bank or enterprise or administrator) near2 (information or identifi\$ or ID)) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	152	((smart adj card or smartcard or ic adj card) and ((institution or bank or enterprise or administrator) near2 (information or identifi\$ or ID)) and @ad<"19981013") and authenticat\$3 and authoriz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	21	(local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	96	(local near2 (administrat\$3 or secur\$5)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	75	((local near2 (administrat\$3 or secur\$5)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013" ) not ((local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	925	235/379-382.ccls. and (smartcard or smart adj card or IC adj card) and @ad<"19981013"	US-PGPUB; USPAT
24	193	(235/379-382.ccls. and (smartcard or smart adj card or IC adj card) and @ad<"19981013") and authoriz\$5 and authenticat\$3	US-PGPUB; USPAT
25	43	((235/379-382.ccls. and (smartcard or smart adj card or IC adj card) and @ad<"19981013") and authoriz\$5 and authenticat\$3) and administrat\$3	US-PGPUB; USPAT
26	1	("5745574").PN.	USPAT; USOCR

27	1	("4755940") .PN.	USPAT; USOCR
----	---	------------------	--------------

	Hits	Search Text	DBs
28	15	("4114027"   "4224666"   "4227253"   "4234932"   "4302810"   "4310720"   "4317957"   "4423287"   "4450535"   "4471216"   "4529870"   "4550248"   "4575621"   "4630201"   "4638120").PN.	USPAT
29	2444	235/492 and @ad<"19981013"	US-PGPUB; USPAT
30	1105	(235/492 and @ad<"19981013" ) and (smart adj card or smartcard or IC adj card)	US-PGPUB; USPAT
31	114	((235/492 and @ad<"19981013" ) and (smart adj card or smartcard or IC adj card)) and (authenticat\$3 and authoriz\$5)	US-PGPUB; USPAT
32	30	((235/492 and @ad<"19981013" ) and (smart adj card or smartcard or IC adj card)) and (authenticat\$3 and authoriz\$5)) and administrat\$3	US-PGPUB; USPAT
33	15	("4752676"   "5067162"   "5155342"   "5264689"   "5287269"   "5287641"   "5302811"   "5411259"   "5433035"   "5522590"   "5542709"   "5566327"   "5641164"   "5743801"   "5748731").PN.	USPAT
34	9	("4766293"   "4992646"   "5033021"   "5479637"   "5521362"   "5566807"   "5649118"   "5767504"   "6119946").PN.	USPAT
35	1	("6226744").PN.	USPAT; USOCR
36	3	("5590199"   "5850442"   "5892900").PN.	USPAT
37	1	("5745574").PN.	USPAT; USOCR
38	2	"6226744".URPN.	USPAT
39	114	((235/492 and @ad<"19981013" ) and (smart adj card or smartcard or smart adj token or IC adj card)) and (authenticat\$3 and authoriz\$5)	US-PGPUB; USPAT
40	493	(smartcard or smart adj card) and ((end or complete) near2 (operation or prompt or action))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41	161	((smartcard or smart adj card) and ((end or complete) near2 (operation or prompt or action))) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	1	(authenticat\$3 with (local near2 administrator)) same (remote near2 administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	8	(authenticat\$3 with (local near2 administrator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	493	(local near2 (authenticator or administrator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	26	((local near2 (authenticator or administrator))) and ((remote or central or principal) near2 (administrator or authenticator))) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	9	"6055637".URPN.	USPAT
47	19	("5241594"   "5274824"   "5315657"   "5455953"   "5506961"   "5534855"   "5542046"   "5649099"   "5659616"   "5684950"   "5748890"   "5757920"   "5815574"   "5815665"   "5818936"   "5841970"   "5864665"   "5899952"   "5911143").PN.	USPAT
48	534	(local near2 (authenticator or administrator or (authenticat\$3 adj server)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	93	((local near2 (authenticator or administrator or (authenticat\$3 adj server)))) and ((remote or central or principal) near2 (administrator or authenticator or (autenticat\$3 adj server)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	26	((local near2 (authenticator or administrator or (authenticat\$3 adj server)))) and ((remote or central or principal) near2 (administrator or authenticator or (autenticat\$3 adj server)))) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	148	distributed near2 authenticat\$3	USPAT
52	13	(distributed near2 authenticat\$3) and (local near2 (authenticator or administrator or (authenticat\$3 adj server)))	USPAT
53	104	((713/155,159,170-174,185;705/64-69.ccls. and @ad<"19981013") and (smartcard or smart adj card or IC adj card)) and authenticat\$3 and authorizat\$3) and (administrat\$3 or remote)	US-PGPUB; USPAT
54	23	(smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	248	((proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013") not ((smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	18	("5159592"   "5708655"   "5745699"   "5825759"   "5845079"   "5845211"   "5862345"   "5898780"   "5905955"   "5915214"   "5918016"   "6012100"   "6052725"   "6130892"   "6172986"   "6195705"   "6219715"   "6240089") .PN.	USPAT



	Hits	Search Text	DBs
57	18	("5077790"   "5235642"   "5586260"   "5608909"   "5673322"   "5675629"   "5740361"   "5764887"   "5826021"   "5892905"   "5911120"   "5923756"   "6006018"   "6052785"   "6065120"   "6075860"   "6148405"   "6263437"   "2002/0007317"   "2002/0019985") .PN.	USPAT
58	91	(replicat\$3 near2 (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	51	((local near2 (server or administrator)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	21	(local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	153	((smart adj card or smartcard or ic adj card) and ((institution or bank or enterprise or administrator) near2 (information or identifi\$ or ID)) and @ad<"19981013") and authenticat\$3 and autoriz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	43	((235/379-382.ccls. and (smartcard or smart adj card or IC adj card) and @ad<"19981013") and autoriz\$5 and authenticat\$3) and administrat\$3	US-PGPUB; USPAT
63	15	("4114027"   "4224666"   "4227253"   "4234932"   "4302810"   "4310720"   "4317957"   "4423287"   "4450535"   "4471216"   "4529870"   "4550248"   "4575621"   "4630201"   "4638120") .PN.	USPAT

	Hits	Search Text	DBs
64	15	("4752676"   "5067162"   "5155342"   "5264689"   "5287269"   "5287641"   "5302811"   "5411259"   "5433035"   "5522590"   "5542709"   "5566327"   "5641164"   "5743801"   "5748731") .PN.	USPAT
65	9	("4766293"   "4992646"   "5033021"   "5479637"   "5521362"   "5566807"   "5649118"   "5767504"   "6119946") .PN.	USPAT
66	1	(authenticat\$3 with (local near2 administrator)) same (remote near2 administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	8	(authenticat\$3 with (local near2 administrator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	13	(smartcard or smart adj card or IC adj card) and administrat\$3 and server and (protect\$2 adj resource) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	104	(( (713/155,159,170- 174,185;705/64-69.ccls. and @ad<"19981013") and (smartcard or smart adj card or IC adj card)) and authenticat\$3 and authorizat\$3) and (administrat\$3 or remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	23	(smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	254	((proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013") not ((smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
72	18	("5159592"   "5708655"   "5745699"   "5825759"   "5845079"   "5845211"   "5862345"   "5898780"   "5905955"   "5915214"   "5918016"   "6012100"   "6052725"   "6130892"   "6172986"   "6195705"   "6219715"   "6240089") .PN.	USPAT
73	18	("5077790"   "5235642"   "5586260"   "5608909"   "5673322"   "5675629"   "5740361"   "5764887"   "5826021"   "5892905"   "5911120"   "5923756"   "6006018"   "6052785"   "6065120"   "6075860"   "6148405"   "6263437"   "2002/0007317"   "2002/0019985") .PN.	USPAT
74	92	(replicat\$3 near2 (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	52	((local near2 (server or administrator)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	22	(local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	1	(705/53,78.ccls. and @ad<"19981013") and (local near2 administrator)	US-PGPUB; USPAT
78	108	705/53,78.ccls. and @ad<"19981013"	US-PGPUB; USPAT
79	153	((smart adj card or smartcard or ic adj card) and ((institution or bank or enterprise or administrator) near2 (information or identifi\$ or ID)) and @ad<"19981013") and authenticat\$3 and authoriz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
80	22	(local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	77	((local near2 (administrat\$3 or secur\$5)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013" ) not ((local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	43	((235/379-382.ccls. and (smartcard or smart adj card or IC adj card) and @ad<"19981013") and authoriz\$5 and authenticat\$3) and administrat\$3	US-PGPUB; USPAT
83	15	("4114027"   "4224666"   "4227253"   "4234932"   "4302810"   "4310720"   "4317957"   "4423287"   "4450535"   "4471216"   "4529870"   "4550248"   "4575621"   "4630201"   "4638120").PN.	USPAT
84	30	((235/492 and @ad<"19981013" ) and (smart adj card or smartcard or IC adj card)) and (authenticat\$3 and authoriz\$5)) and administrat\$3	US-PGPUB; USPAT
85	15	("4752676"   "5067162"   "5155342"   "5264689"   "5287269"   "5287641"   "5302811"   "5411259"   "5433035"   "5522590"   "5542709"   "5566327"   "5641164"   "5743801"   "5748731").PN.	USPAT
86	9	("4766293"   "4992646"   "5033021"   "5479637"   "5521362"   "5566807"   "5649118"   "5767504"   "6119946").PN.	USPAT
87	3	("5590199"   "5850442"   "5892900").PN.	USPAT

	Hits	Search Text	DBs
88	171	((smartcard or smart adj card) and ((end or complete) near2 (operation or prompt or action))) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	1	(authenticat\$3 with (local near2 administrator)) same (remote near2 administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	8	(authenticat\$3 with (local near2 administrator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	26	((local near2 (authenticator or administrator))) and ((remote or central or principal) near2 (administrator or authenticator))) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	19	("5241594"   "5274824"   "5315657"   "5455953"   "5506961"   "5534855"   "5542046"   "5649099"   "5659616"   "5684950"   "5748890"   "5757920"   "5815574"   "5815665"   "5818936"   "5841970"   "5864665"   "5899952"   "5911143").PN.	USPAT
93	26	((local near2 (authenticator or administrator or (authenticat\$3 adj server)))) and ((remote or central or principal) near2 (administrator or authenticator or (autenticat\$3 adj server)))) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	13	(distributed near2 authenticat\$3) and (local near2 (authenticator or administrator or (authenticat\$3 adj server)))	USPAT
95	104	((713/155,159,170-174,185;705/64-69.ccls. and @ad<"19981013") and (smartcard or smart adj card or IC adj card)) and authenticat\$3 and authorizat\$3) and (administrat\$3 or remote)	US-PGPUB; USPAT

	Hits	Search Text	DBs
96	23	(smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	254	((proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013") not ((smartcard or smart adj card or IC adj card) and (proxy adj (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	18	("5159592"   "5708655"   "5745699"   "5825759"   "5845079"   "5845211"   "5862345"   "5898780"   "5905955"   "5915214"   "5918016"   "6012100"   "6052725"   "6130892"   "6172986"   "6195705"   "6219715"   "6240089") .PN.	USPAT
99	18	("5077790"   "5235642"   "5586260"   "5608909"   "5673322"   "5675629"   "5740361"   "5764887"   "5826021"   "5892905"   "5911120"   "5923756"   "6006018"   "6052785"   "6065120"   "6075860"   "6148405"   "6263437"   "2002/0007317"   "2002/0019985") .PN.	USPAT
100	92	(replicat\$3 near2 (server or administrator)) and (authenticat\$3 or authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	52	((local near2 (server or administrator)) and (authenticat\$3 and authorizat\$3) and @ad<"19981013") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
102	22	(local near2 administrator) and (authenticat\$3 and authorizat\$3) and @ad<"19981013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	153	((smart adj card or smartcard or ic adj card) and ((institution or bank or enterprise or administrator) near2 (information or identifi\$ or ID)) and @ad<"19981013") and authenticat\$3 and authoriz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	43	((235/379-382.ccls. and (smartcard or smart adj card or IC adj card) and @ad<"19981013") and authoriz\$5 and authenticat\$3) and administrat\$3	US-PGPUB; USPAT
105	15	("4114027"   "4224666"   "4227253"   "4234932"   "4302810"   "4310720"   "4317957"   "4423287"   "4450535"   "4471216"   "4529870"   "4550248"   "4575621"   "4630201"   "4638120").PN.	USPAT
106	15	("4752676"   "5067162"   "5155342"   "5264689"   "5287269"   "5287641"   "5302811"   "5411259"   "5433035"   "5522590"   "5542709"   "5566327"   "5641164"   "5743801"   "5748731").PN.	USPAT
107	9	("4766293"   "4992646"   "5033021"   "5479637"   "5521362"   "5566807"   "5649118"   "5767504"   "6119946").PN.	USPAT
108	1	(authenticat\$3 with (local near2 administrator)) same (remote near2 administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	8	(authenticat\$3 with (local near2 administrator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	1	("6385729").PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
111	23	713/201.ccls. and ((local near2 (authenticator or administrator or (authenticat\$3 adj server))))	USPAT
112	19	709/225,229.ccls. and ((local near2 (authenticator or administrator or (authenticat\$3 adj server))))	USPAT